

# OPERATION THEATER LIGHTS

## Operation Theater Lights

ModelNo. : SSSL857A

### Technical Specification

- ◆ Focus Size : 120mm to 250mm
- ◆ Focus Adjustment : Variable
- ◆ light intensity (LUX) : 20,000 + 2,00,000
- ◆ Number. of Leds : 56/70 Led's
- ◆ Colour Temperature (K) : 3800K to 5600K
- ◆ Colour Rendering Index (CRI) : >98
- ◆ Life span : >50,000 Hours
- ◆ Power Consumption (MAX) (W) : 120W/150W
- ◆ Input Power : 220VAC 50 Hz
- ◆ Optional : Endo mode



## Operation Theater Lights

ModelNo. : SSSL857B

### Technical Specification

- ◆ Focus Size : 120mm to 250mm
- ◆ light intensity (LUX) : 20,000 + 1,18,000
- ◆ Number. of Leds : 56/70 Led's
- ◆ Colour Temperature (K) : 3800K to 5600K
- ◆ Colour Rendering Index (CRI) : >95 RA
- ◆ Life span : >50,000 Hours
- ◆ Power Consumption (MAX) (W) : 120W/150W
- ◆ Input Power : 220VAC 50 Hz
- ◆ Optional : Endo mode



# Operation Theater Lights

Model No. : SSSL857C

## Technical Specification

- ◆ Focus Size : 120mm to 250mm
- ◆ light intensity (LUX) : 20,000 + 1,15,000
- ◆ Number. of Leds : 42/70 Led's
- ◆ Colour Temperature (K) : 3800K to 4800K
- ◆ Colour Rendering Index (CRI) : >95 RA
- ◆ Life span : >50,000 Hours
- ◆ Power Consumption (MAX) (W) : 150W
- ◆ Input Power : 220VAC 50 Hz
- ◆ Optional : Endo mode



# Operation Theater Lights

Model No. : SSSL857D

## Technical Specification

- ◆ Focus Size : 120mm to 250mm
- ◆ light intensity (LUX) : 20,000 + 1,15,000
- ◆ Number. of Leds : 42/56 Led's
- ◆ Colour Temperature (K) : 3800K to 4800K
- ◆ Colour Rendering Index (CRI) : >95 RA
- ◆ Life span : >50,000 Hours
- ◆ Power Consumption (MAX) (W) : 100W
- ◆ Input Power : 220VAC 50 Hz
- ◆ Optional : Endo mode



# Operation Theater Lights

Model No. : SSSL857E

## Technical Specification

- ◆ Focus Size : 120mm to 250mm
- ◆ light intensity (LUX) : 20,000 + 2,00,000
- ◆ Number. of Leds : 70 Led's
- ◆ Colour Temperature (K) : 3800K to 4800K
- ◆ Colour Rendering Index (CRI) : >95 RA
- ◆ Life span : >50,000 Hours
- ◆ Power Consumption (MAX) (W) : 150W
- ◆ Input Power : 220VAC 50 Hz
- ◆ Optional : Endo mode



# Operation Theater Lights

Model No. : SSSL857F

## Technical Specification

- ◆ Focus Size : 250mm
- ◆ light intensity (LUX) : 1,50,000
- ◆ Number. of Leds : 70 Led's
- ◆ Colour Temperature (K) : 4000K to 5000K
- ◆ Colour Rendering Index (CRI) : >95 RA
- ◆ Life span : >50,000 Hours
- ◆ Power Consumption (MAX) (W) : 150W
- ◆ Input Power : 220VAC 50 Hz
- ◆ Optional : Endo mode



# Operation Theater Lights

Model No. : SSSL857G

## Technical Specification

- ◆ Focus Size : 120 to 250mm
- ◆ light intensity (LUX) : 20,000 to 1,50,000
- ◆ Number. of Leds : 42 Led's
- ◆ Colour Temperature (K) : 3800K to 4800K
- ◆ Colour Rendering Index (CRI) : >95 RA
- ◆ Life span : >50,000 Hours
- ◆ Power Consumption (MAX) (W) : 100W
- ◆ Input Power : 220VAC 50 Hz
- ◆ Optional : Endo mode



## Mobile Surgical Light

Model No. : SSSL857H

## Technical Specification

- ◆ Focus Size : 200mm
- ◆ Focus Adjustment : Fixed
- ◆ light intensity at 1 metre (LUX) : 20,000 + 1,20,000
- ◆ Number. of Leds : 14 Led's
- ◆ Colour Temperature (K) : 3800K to 4800K
- ◆ Colour Rendering Index (CRI) : >95
- ◆ Life span : >50,000 Hours
- ◆ Power Consumption (MAX) (W) : 30W
- ◆ Input Power : 220VAC 50 Hz
- ◆ Optional : Endo mode



# Examination Lamp

ModelNo. : SSSL857EL

## Technical Specification

- ◆ Dome Size (MM) : 120mm
- ◆ Illumination at 500MM (LUX) : 20,000 to 1,00,000
- ◆ Focus Adjustment : Fixed
- ◆ Light Height : 1900mm+5%
- ◆ Light Arm Rotation : 360 Free Rotation
- ◆ Hose Specification : Flexible And Adjustable
- ◆ No. of Leds : 9 Led's
- ◆ Colour Temperature (K) : 5000K +10%
- ◆ Colour Rendering Index (CRI) : >95
- ◆ Life span : >50,000 Hours
- ◆ Power Consumption (MAX) (W) : 25W
- ◆ Input Power : 220VAC 50 Hz



# Lamp Standing

ModelNo. : SSSL857LS

## Technical Specification

- ◆ Focus Size : 200mm
- ◆ Focus Adjustment : Fixed
- ◆ light intensity at 1 metre (LUX) : 20,000 to 1,30,000
- ◆ Number. of Leds : 16 Led's
- ◆ Colour Temperature (K) : 3800K to 4800K
- ◆ Colour Rendering Index (CRI) : >95
- ◆ Life span : >50,000 Hours
- ◆ Power Consumption (MAX) (W) : 30W
- ◆ Input Power : 220VAC 50 Hz
- ◆ Optional : Endo mode



# LED Examination Light Wall Mount

ModelNo. : SSSL857W

## Technical Specification

- ◆ Dome Size (MM) : 65mm
- ◆ Illumination at 500MM (LUX) : 30,000 Lux
- ◆ Focus Adjustment : Fixed
- ◆ Light Height : 1900mm+5%
- ◆ Light Arm Rotation : 360 Free Rotation
- ◆ Hose Specification : Flexible And Adjustable
- ◆ No. of Leds : One
- ◆ Colour Temperature (K) : 5000K +10%
- ◆ Colour Rendering Index (CRI) : >95
- ◆ Life span : >50,000 Hours
- ◆ Power Consumption (MAX) (W) : 5W
- ◆ Input Power : 220VAC 50 Hz



# LED Examination Light

ModelNo. : SSSL857LL

## Technical Specification

- ◆ Dome Size (MM) : 90mm
- ◆ Illumination at 500MM (LUX) : 50,000 Lux
- ◆ Focus Adjustment : Fixed
- ◆ Light Height : 1900mm+5%
- ◆ Light Arm Rotation : 360 Free Rotation
- ◆ Hose Specification : Flexible And Adjustable
- ◆ No. of Leds : One
- ◆ Colour Temperature (K) : 5000K +10%
- ◆ Colour Rendering Index (CRI) : >95
- ◆ Life span : >50,000 Hours
- ◆ Power Consumption (MAX) (W) : 10W
- ◆ Input Power : 220VAC 50 Hz

